




CURB AND GUTTER DETAILS




STANDARD RESIDENTIAL DRIVEWAY TURNOUT




25' BACK TO BACK TYPICAL SECTION




35' BACK TO BACK TYPICAL SECTION




86' BACK TO BACK WITH 38' MEDIAN TYPICAL SECTION




37' BACK TO BACK TYPICAL SECTION




WHEELCHAIR RAMP CURB CUT




WHEELCHAIR RAMP CURB CUT



WHEELCHAIR RAMP CURB CUT



MEDIAN CURB



- NOTES:
1. 10' MAXIMUM BETWEEN CONSTRUCTION JOINTS ON MACHINE POLES.
 2. 1/2" EXPANSION JOINT EVERY 90'.
 3. 3000 PSI CONCRETE MINIMUM, 4" SLUMP MAXIMUM.
 4. LUMP MEASURED CURB CONCRETE SHALL MEET THE REQUIREMENTS OF SECTION 1028-2 OF NCOT STANDARDS & SPECIFICATIONS FOR ROADS AND SHOULDER.
 5. ALL CONSTRUCTION JOINTS SHALL BE FILED TO THE TOP OF THE CURB AND GUTTER.

| No. | Revision | Date | By | Design | Scale |
|-----|-----------------------------|----------|-----|---------|-------------|
| 1 | FIRST REVIEW COMMENTS | 03/07/07 | SF | DLP/JEW | N.T.S. |
| 2 | PER TOW & COR COMMENTS | 04/25/07 | JAC | NSM | 12/07/08 |
| 3 | MTLR | 05/10/07 | DLP | NSM | 12/07/08 |
| 4 | GRADING AND STORM REVISIONS | 08/10/07 | JAC | DLP/KLU | 02/05/08/04 |
| 5 | GRADING & STORM REVISIONS | 10/10/07 | JEW | | |

WENDELL FALLS - SF1
WAKE COUNTY
NORTH CAROLINA

SITE DETAILS

WITHERS & RAVENEL
ENGINEERS | PLANNERS | SURVEYORS
111 Markham Drive Cary, North Carolina 27511 Tel: 919-467-3340 Fax: 919-467-8000 www.wITHERSRAVENEL.com

Sheet No.
13.0

THESE PLANS HAVE BEEN APPROVED FOR CONSTRUCTION BY THE TOWN OF WENDELL.

1-18-08
DATE

1-20-08
DATE

TOWN OF WENDELL FIRE CHIEF

