



217 South Main Street  
Troy, North Carolina 27371-3296

# MONTGOMERY COUNTY DEPARTMENT OF HEALTH

Phone 910-572-1393 ext.1228  
Fax 910-572-8177

## Voluntary Recall of Apple Sauce Pouches Due to Elevated Lead Levels

**December 22, 2023** - WanaBana USA has issued a voluntary recall of WanaBana Apple Cinnamon Fruit Puree pouches due to reports of elevated levels of lead. The elevated levels of lead found in certain units of the product pose a lead poisoning hazard to children. Since the investigation began, Schnucks and Weis Cinnamon Apple pouches have also been voluntarily recalled.

WanaBana Apple Cinnamon Fruit Purée Pouches were distributed nationwide through online and retail stores. The affected product information is WanaBana Apple Cinnamon Fruit Puree in 3-pack pouches of 2.5 oz. The product is also distributed independently in the US as private label brands under the names of Schnucks Apple Sauce 90g pouches with cinnamon. The affected Schnucks lots subject of the product recall were identified as 05023:19, 09023:22 and 09023:24. In addition, Weis Cinnamon Apple Sauce 90g, reported an affected lot number 05023:28, which is also included in the product recall.

We encourage parents and health care providers:

- To alert parents about the recall of these products
- Encourage parents to immediately stop using the recalled products
- Talk to your physician about testing children for lead exposure from these and other sources

Lead is toxic to humans and can affect people of any age or health status. Lead exposure in children is often difficult to see. If you suspect that your child might have consumed this product, parents should talk to your child’s healthcare provider about getting a blood lead test. Lead poisoning can only be diagnosed through clinical testing.

To view the full lead advisory, please visit the FDA’s [website](#).



###



217 South Main Street  
Troy, North Carolina 27371-3296

# MONTGOMERY COUNTY DEPARTMENT OF HEALTH

Phone 910-572-1393 ext.1228  
Fax 910-572-8177

## Retiro voluntario de bolsas de el puré de manzana debido a niveles elevados de plomo

**22 de diciembre de 2023:** WanaBana USA ha emitido un retiro voluntario de las bolsas de puré de frutas, canela y manzana de WanaBana debido a informes de niveles elevados de plomo. Los niveles elevados de plomo que se encuentran en ciertas unidades del producto representan un peligro de envenenamiento por plomo para los niños. Desde que comenzó la investigación, las bolsas de Schnucks y Weis Cinnamon Apple también han sido retiradas voluntariamente del mercado.

Las bolsas de puré de frutas, canela y manzana WanaBana se distribuyeron en todo el país a través de tiendas minoristas y en línea. La información del producto afectado es Puré de frutas, canela y manzana WanaBana en bolsas de 3 paquetes de 2.5 oz. El producto también se distribuye de forma independiente en los EE. UU. como marcas privadas con el nombre de Schnucks Apple Sauce, bolsas de 90 g con canela. Los lotes de Schnucks afectados por la retirada del producto se identificaron como 05023:19, 09023:22 y 09023:24. Además, Weis Cinnamon Apple Sauce 90g informó un número de lote afectado 05023:28, que también está incluido en el retiro del producto.

Alentamos a los padres y proveedores de atención médica:

- Alertar a los padres sobre el retiro del mercado de estos productos.
- Alentar a los padres a dejar de usar inmediatamente los productos retirados del mercado.
- Hable con su médico sobre la posibilidad de realizar pruebas a los niños para detectar la exposición al plomo de estas y otras fuentes.

El plomo es tóxico para los humanos y puede afectar a personas de cualquier edad o estado de salud. La exposición al plomo en los niños suele ser difícil de detectar. Si sospecha que su hijo pudo haber consumido este producto, los padres deben hablar con el proveedor de atención médica de su hijo sobre la posibilidad de realizarle un análisis de plomo en sangre. El envenenamiento por plomo sólo se puede diagnosticar mediante pruebas clínicas.

Para ver el aviso completo sobre plomo, visite el sitio web de la [FDA](#).



###